

International Publications

Van Gelderen, P.; **Ramsey, N. F.**; Liu, G.; Duyn, J.H.; Frank, J.A.; Weinberger, D.R.; Moonen, C.T.W. Three-dimensional functional magnetic resonance imaging of human brain on a clinical 1.5-T scanner. Proc.Natl.Acad.Sci. USA, 1995, 92: 6906-6910

Ramsey, N.F.; Tallent, K.; Van Gelderen, P.; Frank, J.A.; Moonen, C.T.W.; Weinberger, D.R. Reproducibility of human 3D fMRI brain maps acquired during a motor task. Human Brain Mapping, 1996,4:113-121

Ramsey, N.F.; Kirkby, B.S.; Van Gelderen, P.; Berman, K.F.; Duyn, J.H.; Frank, J.A.; Mattay, V.S.; Van Horn, J.D.; Esposito, G.; Moonen, C.T.W.; Weinberger, D.R. Functional mapping of human sensorimotor cortex with 3D BOLD fMRI correlates high with H215O PET rCBF, J.Cereb. Blood Flow Metab., 1996,16:755-764

Ruttimann, U. E., Unser, M., Rawlings, R. R., Rio, D., **Ramsey, N. F.**, Mattay, V. S., Hommer, D. W., Frank, J. A., & Weinberger, D. R. Statistical analysis of functional MRI data in the wavelet domain, IEEE Trans.Med Imaging, 1998, vol. 17,no. 2, pp. 142-154.

Duyn JH, **Ramsey NF**, Mattay VS, van Gelderen P, Sexton RH, Tallent KA, Weinberger DR, Frank JA. Effects of large vessels in functional Magnetic Resonance Imaging at 1.5 Tesla., International Journal of Imaging Systems and Technology 6, 245-252 (1995).

Yang, Y. H., Glover, G. H., Vangelderren, P., Mattay, V. S., Santha, A. K. S., Sexton, R. H., **Ramsey, N. F.**, Moonen, C. T. W., Weinberger, D. R., Frank, J. A., & Duyn, J. H. 1996, "Fast 3D Functional Magnetic Resonance Imaging at 1.5 T with Spiral Acquisition", Magnetic Resonance in Medicine, vol. 36, pp. 620-626.

Callicott, J. H., **Ramsey, N. F.**, Tallent, K., Bertolino, A., Knable, M. B., Coppola, R., Goldberg, T., Van Gelderen, P., Mattay, V. S., Frank, J. A., Moonen, C. T. W., & Weinberger, D. R. 1998, "Functional magnetic resonance imaging brain mapping in psychiatry: Methodological issues illustrated in a study of working memory in schizophrenia", Neuropsychopharmacology, vol. 18,no. 3, pp. 186-196.

Jansma JM, **Ramsey NF** and Kahn RS (1998) Tactile stimulation during finger opposition does not contribute to 3D fMRI brain activity pattern, Neuroreport, vol. 9,no. 3, pp. 510-505.

Ramsey NF, Van den Brink JS, van Muiswinkel AM, Folkers PJ, Moonen CT, Jansma JM and Kahn RS (1998) Phase navigator correction in 3D fMRI improves detection of brain activation: quantitative assessment with a graded motor activation procedure, Neuroimage., vol. 8,no. 3, pp. 240-248.

Rutten GJM, van Rijen, PC, van Veelen CWM, and **Ramsey, N. F** (1999) Language area localization with three-dimensional functional magnetic resonance imaging matches intrasulcal electrostimulation in Broca's area. Ann Neurol 46, 405-408.

Jansma JM, **Ramsey NF**, Coppola R, and Kahn RS (2000) Specific versus nonspecific brain activity in a parametric n-back task, Neuroimage, vol. 12,no. 6, pp. 688-697.

Jansma JM, **Ramsey NF**, Slagter HA, Kahn RS (2001) Functional anatomical correlates of controlled and automatic processing, J.Cogn.Neuroscience, vol. 13, pp. 730-743.

Sommer IEC, **Ramsey NF**, Kahn RS (2001) Language lateralization in schizophrenia, an fMRI study, Schizophr.Res, vol. 52,no. 1-2, pp. 57-67.

Sommer IEC, Aleman A, **Ramsey NF**, Bouma A, Kahn RS (2001) Hand preference, language lateralisation and anatomical asymmetry in schizophrenia; a meta-analysis, Br.J.Psychiatry, vol. 178, pp. 344-351.

Ramsey NF, Sommer IEC, Rutten GJ, Kahn RS (2001) Combined analysis of language tasks in fMRI improves assessment of hemispheric dominance for language functions in individual subjects, Neuroimage, 13, 719-33

Rutten GJM, **Ramsey NF**, van Rijen PC, van Veelen CWM (2002) Reproducibility of fMRI-determined language lateralization in individual subjects. Brain and Language,vol. 80,no. 3, pp. 421-437

Rutten GJM, **Ramsey NF**, van Rijen PC, Noordmans HJ, van Veelen CWM. (2002) Development of a functional MRI protocol for intraoperative localization of critical temporoparietal language areas, Ann.Neurol, vol. 51,no. 3, pp. 350-360.

Ramsey, NF, Koning HAM, Welles P, Cahn W, van der Linden JA, Kahn RS. (2002) Excessive recruitment of neural systems subserving logical reasoning in schizophrenia. Brain, 125, pp1793-1807

Rutten GJM, **Ramsey NF**, Van Rijen P., Van Veelen CWM. (2002) Interhemispheric reorganization of motor hand function to the primary cortex, Journal of Child Neurology, 17(4), pp 292-297

Rutten GJM, **Ramsey NF**, Van Rijen PC, Alpherts WA, Van Veelen CWM (2002) fMRI-determined language lateralization in patients with unilateral or mixed language dominance according to the Wada test. Neuroimage, 17(1), pp. 447-460

Ramsey NF, Hoogduin H, Jansma JM. (2002) Functional MRI experiments: acquisition, analysis and interpretation of data. Eur.Neuropsychopharmacol. 12. pp 517-526

Sommer IE, **Ramsey NF**, Mandl RC, Kahn RS. (2002) Language lateralization in monozygotic twin pairs concordant and discordant for handedness. Brain 125, pp 2710-2718

Sommer IE, **Ramsey NF**, Mandl RC and Kahn RS (2003) Language lateralization in female patients with schizophrenia: an fMRI study. Schizophr Res 60, pp 183-190.

Rutten GJ, **Ramsey NF**, Noordmans HJ, Willems P, Van Rijen P, Berkelbach van der Sprenkel JW, Viergever M and Van Veelen C (2003) Toward functional neuronavigation: implementation of functional magnetic resonance imaging data in a surgical guidance system for intraoperative identification of motor and language cortices. Technical note and illustrative case. Neurosurg Focus 15, pp 1-E6

- Jansma JM, **Ramsey NF**, Van der Wee NJ, Kahn RS (2004) Working Memory Capacity in Schizophrenia: A Parametric fMRI Study. Schizophr Res, 68, pp 159-171
- Sommer IE, **Ramsey NF**, Mandl RC, Van Oel CJ and Kahn RS (2004) Language activation in monozygotic twins discordant for schizophrenia. Br.J.Psychiatry 184 (2), pp 128-135
- Ramsey NF**, Jansma JM, Jager G, Van Raalten TR and Kahn RS (2004) Neurophysiological factors in human information processing capacity. Brain. 127, pp 517-525
- Leijten FS, **Ramsey NF** and Van Rijen PC (2004) Function localisation in neurosurgery: new tools, new practices? Clin.Neurol.Neurosurg. 107, pp 17-19
- Kho KH, Leijten FS, Rutten GJ, Vermeulen J, Van Rijen P, **Ramsey NF**. (2005) Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report. J.Neurosurg. 102 (1), pp169-173
- Raemaekers MAH, Vink M, Van den Heuvel MP, Kahn RS, **Ramsey NF** (2006) Effects of aging on BOLD fMRI during prosaccades and antisaccades. J Cogn Neurosci 18(4):594-603.
- Sommer IEC, Oranje B, **Ramsey NF**, Klerk FA, Mandl RC, Westenberg HW, Kahn RS (2006) The influence of amphetamine on language activation: an fMRI study. Psychopharmacology (Berl) 183 (4):387-393
- Van Der Wee N, **Ramsey NF**, Van Megen HJ, Denys DA, Westenberg HG, Kahn RS (2007) Spatial working memory in obsessive-compulsive disorder improves with clinical response; a functional MRI study. Eur Neuropsychopharmacol 17(1): 16-23
- Rutten GJ and **Ramsey NF**. (2007) Language representation. J.Neurosurg. 106 (4):726-727
- Jansma JM, **Ramsey NF**, De Zwart JA, Van Gelderen P, Duyn JH (2007) An fMRI study of effort and information processing in a working memory task. Human Brain Mapping 28 (5): 431-440
- Raemaekers M, Vink M, Zandbelt B, Van Wezel RJ, Kahn RS, **Ramsey NF** (2007). Test-retest reliability of fMRI activation during prosaccades and antisaccades. Neuroimage. 36 (3):532-542
- Kho KH, Rutten GJ, Leijten FS, Van der Schaaf A, Van Rijen PC, **Ramsey NF** (2007). Working memory deficits after resection of the dorsolateral prefrontal cortex predicted by functional magnetic resonance imaging and electrocortical stimulation mapping. Case report. J Neurosurg 106 (6 Suppl):501-505
- De Haan EH, Nys GM, Van Zandvoort MJ, **Ramsey NF** (2007). The physiological basis of visual hallucinations after damage to the primary visual cortex. Neuroreport 18 (11): 1177-1180
- Jager G, de Win MM, van der Tweel I, Schilt T, Kahn RS, van den Brink W, van Ree JM, **Ramsey NF** (2008) Assessment of Cognitive Brain Function in Ecstasy Users and Contributions of Other Drugs of Abuse: Results from an fMRI Study. Neuropsychopharmacology 33 (2): 247-258

Neggers SFW, Hermans EJ, **Ramsey NF** (2008) Enhanced sensitivity by fast 3D BOLD fMRI : comparison of SENSE-PRESTO and 2D EPI at 3T, NMR Biomed 21 (7): 663-676

Kho KH, Indefrey P, Hagoort P, van Veelen CW, van Rijen PC, **Ramsey NF** (2008). Unimpaired sentence comprehension after anterior temporal cortex resection. Neuropsychologia, 46 (4): 1170-1178

Zandbelt BB, Gladwin TE, Raemaekers M, van Buuren M, Neggers SF, Kahn RS, **Ramsey NF**, Vink, M. (2008) Within-subject variation in BOLD-fMRI signal changes across repeated measurements: Quantification and implications for sample size. Neuroimage 42 (1): 196-206

Van Buuren M, Gladwin TE, Zandbelt BB, van den Heuvel M, **Ramsey NF**, Kahn RS, Vink M (2009) Cardiorespiratory effects on default-mode network activity as measured with fMRI. Hum Brain Mapp. 30(9):3031-42

Rutten GJ, **Ramsey NF** (2010) The role of functional magnetic resonance imaging in brain surgery. Neurosurg Focus 28(2):E4

Van Veelen NM, Vink M, **Ramsey NF**, Sommer IE, van Buuren M, Hoogendam JM, Kahn RS (2011) Reduced language lateralization in first-episode medication-naive schizophrenia. Schizophr Res. 127(1-3):195-201

Siero JCW, Petridou N, Hoogduin H, Luijten PR, **Ramsey NF** (2011) Cortical depth-dependent temporal dynamics of the BOLD response in the human brain. J Cereb Blood Flow Metab 31(10):1999-2008

Hermes D, Miller KJ, Vansteensel MJ, Aarnoutse EJ, Leijten FSS, **Ramsey NF** (2012) Neurophysiologic correlates of fMRI in human motor cortex. Human Brain Mapping 33(7):1689-99 *Editors Choice Award Best Paper 2012*

Raemaekers M, du Plessis S, **Ramsey NF**, Weusten JM, Vink M (2012) Test-retest variability underlying fMRI measurements. Neuroimage 60(1):717-27

Van Gelderen P, Duyn JH, **Ramsey NF**, Liu G, Moonen CT (2012) The PRESTO technique for fMRI. Neuroimage 62(2): 676-81

Kristo G, Leemans A, de Gelder B, Raemaekers MAHM, Rutten GJM, **Ramsey NF** (2013) Reliability of the corticospinal tract and arcuate fasciculus reconstructed with DTI based Tractography: implications for clinical practice. Eur Radiol 23(1):28-36

Kristo G, Rutten GJM, Raemaekers MAHM, de Gelder B, Rombouts SARB, **Ramsey NF** (2014) Task and task-free fMRI reproducibility comparison for motor network identification. Hum Brain Map 35(1): 340-52

Kristo G, Leemans A, Raemaekers M, Rutten GJ, de Gelder B, **Ramsey NF** (2013) Reliability of two clinically relevant fibre pathways reconstructed with Constrained Spherical Deconvolution. Magn Reson Med 70(6): 1544-56

Siero JCW, **Ramsey NF**, Hoogduin H, Klomp DWJ, Luijten PR, Petridou N (2013) BOLD specificity and dynamics evaluated in humans at 7 T: comparing gradient-echo and spin echo hemodynamic responses. PLoS One 8(1):e54560

Ojemann GA, **Ramsey NF**, Ojemann J (2013) Relation between functional magnetic resonance imaging (fMRI) and single neuron, local field potential (LFP) and electrocorticography (ECoG) activity in human cortex. Front Hum Neurosci. 7:34

Siero JCW, Hermes D, Hoogduin H, Luijten PR, Petridou N, **Ramsey NF** (2013) BOLD consistently matches electrophysiology in human sensorimotor cortex at increasing movement rates: a combined 7T fMRI and ECoG study on neurovascular coupling. J Cereb Blood Flow Metab 33(9):1448-56

Bauer PR, Reitsma JB, Houweling BM, Ferrier CH, **Ramsey NF** (2014) Can fMRI safely replace the Wada test for preoperative assessment of language lateralisation? A meta-analysis and systematic review. J Neurol Neurosurg Psychiatry 85(5): 581-8

Siero JCW, Hermes D, Hoogduin H, Luijten PR, **Ramsey NF**, Petridou N (2014) BOLD matches neuronal activity at the mm scale: a combined 7T fMRI and ECoG study in human sensorimotor cortex. Neuroimage 101c: 177-184

Book Chapters

Ramsey, NF(1999). 'Direct Comparison of functional MRI and PET', in *Functional MRI* (eds Moonen CTW, Bandettini PA) Springer Verlag, Berlin, pp. 421-432.

Jezzard P, **Ramsey NF** (2003) 'Quantitative Functional MRI', in *Quantitative MRI of the Brain: Measuring Changes Caused by Disease* (ed Tofts PS) Wiley

Ramsey NF and Kahn RS (2007), 'Functional Magnetic Resonance Imaging and Information Processing Deficits in Schizophrenia', in *Clinical Applications of Functional Brain MRI* (Eds SA Rombouts, F Barkhof and P Scheltens), Oxford University Press

Rutten GJ, **Ramsey NF** (2011), 'Functional neuroimaging in neurosurgical practice', in *Brain Mapping, from neural basis of cognition to surgical applications* (ed Duffau H), Springer.

Ramsey NF (2011), "Signals reflecting brain metabolic activity", in *Brain-Computer Interfaces: Principles and Practise* (eds Wolpaw JR, Wolpaw EW), Oxford University Press